ADVANCED LABORATORIES®
If you liked our service, please tell a friend. If you didn't, please tell us!

8969 Cleveland Road Clayton, NC 27520
Phone: (919) 989-7793 Fax: (919) 989-9226
Email: NCLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Chocolate Bar 1 ounce 100% Dark Chocolate
Sample ID: # 265
Lot No:
Location:
Received: 1/9/2025
Completed: 1/16/2025

Client: Constantine Kalpaxis
Constantine & Co Inc.

Lab No: 140848-01

Analysis	Result	Per Unit	Method
‡Arsenic	0.051	ppm	ICP-MS USP <730>
‡Cadmium	0.262	ppm	ICP-MS USP <730>
‡Mercury	0.003	ppm	ICP-MS USP <730>
‡Lead	0.004	ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Hebah B. Boaj-Quality Tech **Dated:** 1/16/2025

Tests marked with ‡ were done at Advanced Laboratories, Inc. - 40 W Louise Ave, Salt Lake City, UT 84115

Printed: 1/16/2025 11:24:42 AM

TREND CHECK